




**AHDVR004N05A**

**XVR 4 INPUTS 5MP, AI, 1 TB HDD**



"5-hybrid stand-alone digital video recorder (AHD/TVI/CVI/CVBS/IP), 4 analogue video inputs and 2 IP video channels. Compression H.264/H.265. Compatible with browsers: IE/Google Chrome/Edge/Firefox/Safari. 12 V power supply unit included. This DVR connects to Comelit servers protected by AWS services."



**AHDVR004N05A**

**XVR 4 INPUTS 5MP, AI, 1 TB HDD**

**MAIN FEATURES**

Video inputs	4 (BNC) 5MP/4MP/1080P/720P/WD1 + 2 (IP) 5MP. Max IP: 0 (BNC) + 6 (IP) 5MP
Main video output	1 (VGA), 1 (HDMI), 1920x1080
Spot video output	1 (BNC)
Audio Inputs/Outputs	1 / 1
Video compression	H.264, H.265
Playback / recording frame rate	BNC: 5MP Lite @10fps; 4MP Lite/1080P @15fps; IP @30fps
HDD supplied size	1TB (10TB max)

**SOFTWARE/FIRMWARE SPECIFICATIONS**

Recording methods	Automatic, manual, programmed, event
Recording type	Dual streaming
Protocols supported	DHCP, HTTP, HTTPS, ONVIF
IP assignment	DHCP, manual
Max bandwidth (Mbps)	16
Remote control via browser	IE/Chrome/Edge/Firefox/Safari
Remote control by software	Comelit CCTV Manager
Remote control by mobile	APP Comelit CCTV
Users connected at the same time	5
Main functions	Video analysis (only with dedicated cameras)

**FUNCTIONS**

Motion detection (zones)	396
Privacy zones (n°)	4

**HARDWARE SPECIFICATIONS**

Type of connections/ports	1 x Ethernet 10/100/1000 Mbit/s, 2xUSB 2.0
Fanless	Yes

**GENERAL DATA**

**AHDVR004N05A****XVR 4 INPUTS 5MP, AI, 1 TB HDD**

Max absorption (W)	5
Power supply voltage (VDC)	12
Height (mm)	42
Width (mm)	255
Depth (mm)	222
Product weight (g)	1580
Type of finishing materials	Metallic
Product color	Black
Operating temperature (°C)	-10 ÷ 50
Operating humidity (RH max) (%)	25 ÷ 90
Supplied accessories	Power supply