



MINI IP BULLET CAMERA, 4MP 2.8MM COLOR UP





AWARDS





MINI IP BULLET CAMERA, 4MP 2.8MM COLOR UP

	MAIN FEATURES
Camera sensor	1/3" CMOS Ultra Starlight
Lens optical dimensions (mm)	2.8
Effective pixels (H x V - pixels)	2592x1520
Horizontal FoV (°)	95
Vertical FoV (°)	53
Diagonal FoV (°)	115.2
Electronic shutter (s)	1/3 ÷ 1/100000
Sensitivity	0.03 (colori), 0 (bianco e nero, led IR ON)
Signal/noise ratio (dB)	>50
Video trasmission	Triple streaming
Management software	Comelit CCTV Manager

SOFTWARE/FIRMWARE SPECIFICATIONS		
Video compression	H.265+ / H.265 / H.264+ / H.264 / MJPEG	
Frame rate	30fps	
Protocols supported	ONVIF (Profile-S)	
Additional functions	Dual light	
Updating firmware using network	Yes	
Users connected at the same time	3	
Remote viewer from browser	Internet Explorer, Firefox, Chrome, Safari	
Remote control by mobile	APP Comelit CCTV	

FUNCTIONS	
Main functions	3D-DNR, BLC, Defog, HLC
Motion detection (zones)	Yes
Video analytics	Line crossing, enter area
Privacy zones (n°)	4
Wide Dinamic Range (WDR)	D-WDR
Enhanced DNR control	3D-DNR

The technical specifications are subject to change without prior notice.



MINI IP BULLET CAMERA, 4MP 2.8MM COLOR UP

FUNCTIONS	
White balance control	AWB, Indoor, Manual, Outdoor
Exposure control	Auto
Display brightness control	Yes
Camera titling	Yes

HARDWARE SPECIFICATIONS	
IR LED lighting distance	20m
Max. distance White LED	20m
Vandal Resistant rating (IK code)	IK10
IP protection rating	IP67
Audio Inputs/Outputs	1 (microphone) / -
LAN output type	Ethernet 10/100 Mbit/s (RJ45)

	GENERAL DATA
Supply voltage	12VDC
Max absorption (W)	5
PoE power supply	Standard IEEE 802.3af
Type of power supply	PoE, External power supply
Height (mm)	74.8
Width (mm)	73.8
Depth (mm)	162.1
Product weight (g)	300
Type of finishing materials	Die-cast aluminum
Housing type	Bullet
Product color	White
Operating temperature (°C)	-30 ÷ 60
Operating humidity (RH max) (%)	25 ÷ 95



MINI IP BULLET CAMERA, 4MP 2.8MM COLOR UP ACCESSORIES		
	JBA- BA	ADVANCE NEXT BIG IP66 CONNECTION BOX Junction box for securing Next and Advance cameras. For model compatibility please refer to the diagram in the download section.
	WMA- BA	ADVANCE NEXT BIG WALL BACKPLATE Wall-mounting bracket for Next and Advance cameras. For model compatibility please refer to the diagram in the download section.
	PMA- A	ADVANCE ADVANCE NEXT BEUGEL OP PAAL POLE-MOUNTING BACKPLATE Pole-mounting accessory for Next and Advance cameras. For model compatibility please refer to the diagram in the download section.
I	CMA- BA	ADVANCE NEXT BIG CEILING BACKPLATE Ceiling-mounting accessory for Next and Advance cameras. For model compatibility please refer to the diagram in the download section.
	AMA- A	ADVANCE NEXT CORNER BACKPLATE Corner-mounting accessory for Next and Advance cameras. For model compatibility please refer to the diagram in the download section.