## Busbar sets 1-pole+N for miniature circuit breakers 1+N, 1 MW







### Schrack-Info

Set includes 1 pc 1-meter busbar 10 mm² grey, 1 pc 1-meter busbar 10 mm² blue, 3 (version 1-pole+N) or 9 (3-pole+N version) flexible 10 mm² wires black with ultrasonically-consolidated ends and 3 in blue. The ultrasonic welded end of the wires have exactly the same fit, which allows them to fit into the terminal of SCHRACK MCBs BS 1+N with 1 MW. Compared to a fixed adapter, they offer the advantage that they can be flexible from the side and from the supply device. The set comes packed in a polybag.

### BS990170 Dimensional drawing



- Busbar sets 1-pole+N for miniature circuit breakers 1+N, 1 MW
- BS990171 Dimensional drawing




# ■ Connection terminal 25mm² for small-connect




### Schrack-Info

Side connection model saves vertical space and is thus especially suitable for 1-pole Small Connect busbars. Straight connection model saves horizontal space and is thus especially suitable for 3-pole Small Connect busbars.



### BS990173 Dimensional drawing



DESCRIPTION	AVAILABLE	ORDER NO.
Small Connect, Connection Terminal f. 1+N/MCB 1MW, tinned	300 0-0	BS990172
Small Connect, Connection Terminal for BS990171	000 0-6	BS990173



# Connection wires for small connect



### Schrack-Info

Flexible connecting wires, with ultrasonic welded ends, highly compatible with all lift terminals. The 325 mm long connecting wires are used, e.g., for the connection to other distribution panels.

BS990174

DESCRIPTION	AVAILABLE	ORDER NO.
Flexible Connection Wire, black 10mm², 100mm long	355 0-6	BS990174
Flexible Connection Wire, blue 10mm², 100mm long	000 0-0	BS990175
Flexible Connection Wire, black 10mm <sup>2</sup> , 325mm long	388 0-8	BS990178
Flexible Connection Wire, blue 10mm², 325mm long	000 0-0	BS990179

## Accessories for small-connect



BS990176

DESCRIPTION	AVAILABLE	ORDER NO.
Small Connect, Busbar 1 pole, 1 m, 1 MW, Phase	988 0- 8	BS990176
Small Connect, Busbar 1 pole, 1 m, 1 MW, blue	300 0-6	BS990177
Busbar End cap 1 pole, gray, for BS990170	333 0-6	BS900107
Busbar End cap 1 pole, blue	000 0-0	BS900108
Busbar End cap 2/3-pole	333 0- 6-	BS900116