

# WAC-2010 Gigabit Ethernet Wireless LAN Controller, Manage up to 128 APs

# **Product Images**



# **Short Description**

- Centralized management of up to 128 APs
- Client isolation allows strict control of access to wireless devices on the network
- Supports gateway/router mode
- Load balancing across multiple APs
- Built-in robust firewall to protect Internet access against intruders
- Enables Auto-Roaming for wireless network

# **Description**

The LevelOne WAC-2010 is a Gigabit WLAN controller designed for use in small to medium-sized networks in SMEs, schools, guesthouses, hotels, and apartments. Central management of up to 128 APs provides complete wireless security and service solutions for any small to medium-sized wireless network.

The WAC-2010 integrates a variety of features that allow the administrator to easily build the AP configuration. Including tag-based VLAN settings, AP firmware updates, as well as monitoring of the number

and status of connected APs and users.

The WAC-2010 controller is also an Internet gateway with a robust firewall to protect against intruders, 1 WAN and 4 LAN ports at Gigabit speed enable fast and reliable data distribution in the network.

The LevelOne WAC-2010 also supports real-time control of signal strength and interference information. With the results, the WAC-2010 automatically regulates network utilization, output power, RF coverage, and channel distribution of APs to optimize wireless coverage, roaming of end devices, and throughput.

### **Additional Information**

Approval and compliance

Operating humidity

Operating temperature

Storage humidity

Storage temperature

Indicators

RAM size

Flash memory size

Power supply

Standards

Features

Product weight (kg)

Color

EAN

Model Number

**Package Contents** 

Dimensions (W  $\times$  D  $\times$  H)

• CE • FCC Part 15, Subpart B • RoHS

10% RH ~ 90% RH

-20°C ~ 55°C

5% RH ~ 95% RH

-40°C ~ 70°C

● POWER ● RUN ● LINK/ACT

256 MB

16 MB

100-240 VAC, 50-60 Hz

● IEEE 802.3 10-BASE-T (Ethernet) ● IEEE 802.3u 100-BASE-TX (Fast Ethernet) ● IEEE 802.3ab 1000BASE-T

(Gigabit Ethernet)

Support AP Management, up to 80 client and 128 AP's

● Support AP Disable, Restart and Reset ● Support AP Configuration Models Auto-loading ● Support AP Layer 2 Roaming ● Auto-cross-IP detection and Distribution to avoid AP's IP conflict in the whole networking ● Support smart QoS and firewall functions under gateway

operation mode to protect the whole networking safty

1.4

Black

4015867231647

WAC-2010

● WAC-2010 ● Power Cord ● 19" Rack Mount Kit ●

Rubber Feet ● Quick Installation Guide ● Declaration of

Conformity

294 x 189 x 44 mm

