

**2812W****2-BUTTON MINI DOOR-ENTRY PHONE FOR KIT KCA0061**

Mini series additional door-entry phone with handset for kit art. KCA0061, with electronic call, call volume adjustment and privacy. Features a key button and a free button (C/NO). Allows call repetition. Dimensions: 103x190x30 mm



2812W

2-BUTTON MINI DOOR-ENTRY PHONE FOR KIT KCA0061

GENERAL DATA

Height (mm)	190
Depth (mm)	30
Type of finishing materials	ABS
Product weight (g)	300
Wall-mounted	Yes
Desk base-mounted	Yes, with a dedicated accessory

AUDIO FEATURES

Technologies implemented	Full-Duplex
--------------------------	-------------

ELECTRICAL CHARACTERISTICS

Type of power supply	External power supply
Supply voltage	12VAC

HARDWARE FEATURES

Type of buttons	Mechanical
Service buttons	Lock-release
Number of outputs (n°)	1
Total buttons (n°)	2

ENVIRONMENTAL AND COMPLIANCE FEATURES

Operating temperature (°C)	5 ÷ 40
Operating humidity (RH max) (%)	25 ÷ 90
Environmental class	III
CE certifications	RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011)

GENERAL FEATURES

Door opener	Yes
Absorption during call (mA)	100

**2812W****2-BUTTON MINI DOOR-ENTRY PHONE FOR KIT KCA0061****GENERAL FEATURES**

Absorption during communication (mA)	30
Maximum current absorption (mA)	100
Minimum current absorption (mA)	5
Silent mode (Privacy)	Yes
Ringtone volume control	Yes
Output for call repetition	Yes